# Laboratory Support of Food Borne Illness Investigations Susanne Norris Zanto, CLS(NCA) SM(NRM) Microbiology and Molecular Laboratory Manager Montana Public Health Laboratory Szanto@mt.gov 800-821-7284

### **Laboratory Testing**

- Data from laboratory tests are often key to effective public health investigation and control
- ▼The adequacy and condition of the sample or specimen is of primary importance

Montana Public Health Laboratory

### **Outbreak Detection**

- ✓ Old Scenario
  - Acute local outbreak
  - o High Dose/High Attack rate
  - Detected by group themselves
  - Local Investigations
  - Often local food handling error
  - Local Solution

- ✓ New Scenario
  - o Diffuse widespread outbreak
  - o Low Dose/Low Attack rate
  - o Increase in "sporadic" cases
  - Detected by lab based subtype surveillance
  - Complex multistate investigation
  - Industrial Contamination event
  - o Industry wide implications

Montana Public Health Laboratory

### **Objectives**

### At the end of this presentation, the participants will be able to:

- ✓ Discuss the various food testing that can be performed at the MTPHL
- Describe the steps necessary to ensure appropriate testing is performed
- List the organizations and networks involved in laboratory testing and food outbreak investigations

Montana Public Health Laboratory

### Overview

- ✓ Criteria for Testing
- ✓ Collection of Clinical Specimens
- ✓ Key Items for a Food Sample Kit
- ✓ Collection of Food Samples
- ✓ Lab Requisition Forms and Chain of Custody
- ✓ Testing performed at the MTPHL
- ✓ Networks and Partners
- ✓ Scenario
- ✓ Contact Information

Montana Public Health Laboratory

### Laboratory Support

- All food testing will be coordinated through the Montana Laboratory Services Bureau
  - o Public Health Laboratory
    - Microbiology
  - Environmental Laboratory
    - Chemistry
- ✓ Contact us at 800-821-7284 (24/7)
- ✓ If we can't test we will find a lab that can

### Criteria for Testing

- √ Food testing requires an epi-link
  - o Shot gun approach doesn't work
  - o Testing is targeted to specific agents
  - Agent implicated by food histories, onset of illness, symptoms
  - o Ideally should have clinical specimens as well as food samples for comparison

Montana Public Health Laboratory

### Criteria for Testing

- ✓ Communication and team work is the key for a successful outcome
- ✓ Environmental Health Assessment
- ✓ Epidemiological Investigation
- ✓ Laboratory Guidance and Support
- ✓ Education and Training
- Testing to be performed is determined by a foodborne outbreak investigation team

Montana Public Health Laboratory

### Criteria for Testing (continued)

- ✓ Food Team will direct what samples are to be collected and submitted to the laboratory for testing
- ✓ Initial information may be insufficient for an adequate assessment
- ✓ Food Team will decide what samples to collect and then hold, either locally or at the MTPHL, until more information and assessment is available to direct testing
- Ensure that the opportunity to collect the appropriate specimens is not missed, but also utilizing costly and time consuming lab resources effectively

Montana Public Health Laboratory

### Collection of Clinical Specimen

- ✓ Clinical specimens tested as early in the onset of illness as possible
- ✓ Suspect clinical specimens should be transported ASAP to a laboratory for testing
- ✓ Clinical isolates should be referred ASAP to the MTPHI
- √ Your local laboratory is trained to package and ship these specimens/isolates
- ✓ Courier service available in many areas of the state
- ✓ USPS if no courier service

Montana Public Health Laboratory

### Food Sample Collection Kits

- ✓ Sterile Plastic Collection Containers
  - o Whirl Paks -Various sizes
  - o Small screw capped containers
- ✓ Sterile Disposable Collection Utensils
  - o Spoons and Scoops
  - o Tongs
  - o Knife and cutting utensils
- ✓ Sterile Disposable Gloves
- ✓ Labels and Marker pens
- ✓ Chain of Custody Forms
- ✓ MTPHL Requisition Forms

Montana Public Health Laboratory

### Collecting the Food Sample

- ✓ Wear sterile disposable gloves
- ✓ Use sterile technique
- ✓ Use sterile utensils for collection
- ✓ Use sterile transport containers
- Secure sample container –No leaking specimens
- √ Label all samples
- ✓ Description and condition of food sample
- ✓ Initials of sample collector
- ✓ Time and date of collection

### Collecting the Food Sample


- Recommend minimum 250 grams of solid food
   Prefer 500 grams
- Recommend 250 minimum milliliters of liquid food
   Prefer 500 milliliters
- In general, samples should be collected from the geometrical center of the food item, but should be representative of the food product
- ✓ If in doubt, send the entire food sample
- Commercially packaged food samples must be retained and transported in the original package
- Most food items are transported at refrigerator temperature
- ✓ If the food is already frozen at the time of collection, then transport the sample frozen

Montana Public Health Laboratory

### Filling out the Requisition Form

- ✓ Working with your PH Nurse, use a form preprinted with county information
- ✓ Date and time of collection
- Physical description and condition of sample
- ✓ Site of collection
- ✓ Lot numbers
- ✓ Indicate Lab Tests to be performed, if known


Montana Public Health Laboratory



### Chain of Custody


- Legal document verifying integrity of the sample from the moment of collection in the field until the final deposition of the sample
- ✓ Official Sample
  - o Integrity of the sample is verifiable
  - o Includes internal and external transfer information
- ✓ Unofficial Sample
  - o Integrity to the sample is not verified
  - o Example leftovers from an individuals refrigerator
- 3 most important things when conducting testing for a food borne outbreak: Document, Document and Document

Montana Public Health Laborator





### Food Samples


- Suspect foods should be stored refrigerated or frozen awaiting epidemiology investigation
  - o Link between ingestion, clinical illness, suspected agent
  - o Knowledge of intentional release
- ✓ If a food is implicated, transport to the PHL
  - o Ship in cold condition
  - o Styrofoam container with blue ice packs
- Courier service available in many areas of the state
- ✓ USPS if no courier service





- √ Viral Agents
  - Norovirus (in process of validating for food)
- ✓ Toxins
- o Staph enterotoxin B
- o C. botulinum





















## Food Emergency Response Network ✓ FERN is a joint venture of USDA, FDA, CDC, EPA ✓ Network of state and federal laboratories that are committed to analyzing food samples in the event of a biological, chemical, or radiological terrorist attack ✓ Coordinates the sample distribution and nationwide surge capacity of the laboratories ✓ Facilitates secure communication and data exchange between laboratories (eLEXNET) ✓ Confirms the safety of the food supply using analytical tests



### FERN Critical roles related to food security and food defense include: Prevention FERN provides a national surveillance program that will offer early means of detecting threat agents in the American food supply Preparedness FERN prepares the nation's laboratories to be able to respond to food-related emergencies Response FERN offers significant surge capacity that will strengthen the nation's response towards widespread complex emergencies, intentional or inadvertent related to agents in food Recovery The FERN network of laboratories enhances the ability of the country to restore confidence in the food supply following a threat or an actual emergency targeting the nation's food supply.



### eLEXNET – Electronic Laboratory Exchange Network

- FERN uses eLEXNET for Collaboration & Data Sharing:
  - FERN National Program Offices share current information, meeting minutes, documentation, and guidance information
  - FERN Subcommittees conduct discussions, disseminate information, and develop documentation
  - o FERN Methods Repository on eLEXNET
  - 113 Lab Participants can review information on samples that have been submitted by eLEXNET's participating laboratories
  - FERN Proficiency & Surveillance Assignments: FERN related data can be captured and reported independently

Montana Public Health Laboratory

### Recent FERN Activities

- √ Spinach outbreak EHEC
- ✓ Pet food contamination Melamine
- √ Tomatoes/Peppers Salmonella
- ✓ Peanut Butter Salmonella
- √ Food defense assignments


Montana Public Health Laboratory


### **PulseNet**

- Standardized PFGE methods for DNA fingerprinting of disease-causing bacteria
  - o Current gold standard for bacterial DNA fingerprinting
  - o Sensitive, specific and reproducible
- ✓ Patterns generated and entered into an electronic database at MTPHL
- ✓ Patterns uploaded to national CDC database
- ✓ Database managers at CDC perform regular searches looking for clusters
  - o "Fishing" for related cases in a "sea of infections"
- Clinical Laboratory Specialists perform regular searches on local databases looking for clusters

Montana Public Health Laboratory

## Pulsed Field Gel Electrophoresis Bacterial DNA Fingerprinting Montana Public Health Laboratory





### **PulseNet**

- ✓ Plays a vital role in surveillance and investigation of food-borne illness outbreaks
- Can find outbreaks that are geographically far apart
- Distinguishes outbreak cases from concurrent sporadic cases

Montana Public Health Laboratory


### PulseNet History


- ✓ 1993 outbreak of *E. coli* O157 in western United States
- ✓ CDC scientists did PFGE fingerprinting
   o Strain found in patients had the same pattern as strain found in hamburger patties
- ✓ Prompt recognition prevented additional illnesses
- CDC deployed the technology to state and local laboratories














### Scenario (1) Physician calls the local health department Has just seen a husband and wife Both are sick with a diarrheal illness Watery diarrhea, some blood in the stool, abdominal cramping, dehydration Report that they both ate breakfast at a local restaurant and became ill shortly after There have been no other reports of similar illness to the health department







### Scenario (5) ✓ Ground Beef submitted for testing ✓ Sprouts, Lettuce, Tomato collected, but held at refrigerator temperature for results of the ground beef testing ✓ E. coli O157 is recovered from the ground beef ✓ DNA Fingerprinting is performed on both isolate from patients and isolate from ground beef





